

Printing date 02.12.2017 Version number 3 Revision: 02.12.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Plastalgin fast USA
- · Article number / formula: 286S
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the preparation: dental product
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SEPTODONT.

58 rue du Pont de Creteil 94100 Saint Maur des Fosses

France

Téléphone: +33(0)149767000 Fax: +33(0)148855401 msds@septodont.com http://www.septodont.com

· 1.4 Emergency telephone number:

France (INRS 24h/24) - Tel: +33 (0)1 45 42 59 59

Ireland - Tel: 00 353 1 8092568 - 00 353 1 8379964 (24h/24) EU Tel: 112

Belgique - Tel: 32 070/245 245

UK : +44 (0)-870-190-6777 (CARECHEM24)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008:



Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- $\cdot \textit{Hazard-determining components of labelling:}$

polypropylene glycol

 $dipotas sium\ hexafluorotita nate$

· Hazard statements

H317 May cause an allergic skin reaction.

· Precautionary statements

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

(Contd. on page 2)



Printing date 02.12.2017 Version number 3 Revision: 02.12.2017

Trade name: Plastalgin fast USA

(Contd. of page 1)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture: consisting of the following components.

Dangerous components:		
CAS: 9005-36-1	Alginic acid, potassium salt	10-25%
	♦ Eye Irrit. 2, H319	
CAS: 7778-18-9	calcium sulphate	5-10%
EINECS: 231-900-3 Reg.nr.: 01-2119444918-26	♦ Acute Tox. 4, H302; Acute Tox. 4, H332	
CAS: 25322-69-4	polypropylene glycol	<5%
	◆ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 7722-88-5	tetrasodium pyrophosphate	≤2.5%
EINECS: 231-767-1	🔗 Eye Dam. 1, H318; 🕚 Acute Tox. 4, H302	
Reg.nr.: 01-2119489794-17-0003		
CAS: 16919-27-0	dipotassium hexafluorotitanate	≤1%
EINECS: 240-969-9	Eye Dam. 1, H318; () Acute Tox. 4, H302; Skin Sens. 1, H317	

- · SVHC No
- · Additional information: For the wording of the listed risk phrases, refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After excessive inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient in a stable laying down side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult a doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · 5.2 Special hazards arising from the substance or mixture: No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

GB





Printing date 02.12.2017 Version number 3 Revision: 02.12.2017

Trade name: Plastalgin fast USA

(Contd. of page 2)

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures: Not required.
- 6.2 Environmental precautions: Do not allow the product to enter sewers/ surface water or ground water.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protective equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling: No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- \cdot 7.3 *Specific end use*(s): *No further relevant information available.*

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · 8.1 Control parameters

	і рагател				
· Ingredient	s with limi	t values that require monitoring a	t the workplace:		
CAS: 6885	5-54-9 Kie	eselguhr, soda ash flux-calcined (S	50-100%)		
MAK (Swit	zerland)	Long-term value: 0.3 a mg/m³			
		SSc;			
CAS: 7778	?-18-9 calc	ium sulphate (5-10%)			
MAK (Swit	zerland)	Long-term value: 3 a mg/m³			
		SSc;			
CAS: 1309)-48-4 mag	nesium oxide (5-10%)			
WEL (Gred	at Britain)	Long-term value: 10* 4** mg/m³			
		(as Mg) *inhalable dust **fume ar	nd respirable dust		
MAK (Swit	zerland)	Long-term value: 3 a mg/m³			
	*SSc;*Magnesiumoxid				
		sodium pyrophosphate (≤2.5%)			
WEL (Gree	at Britain)	Long-term value: 5 mg/m³			
MAK (Swit	MAK (Switzerland) Long-term value: 5 e mg/m³				
· DNELs					
CAS: 7778	?-18-9 calc	ium sulphate			
Oral	DNEL Pu	blic long-term systemic	1.52 mg/kg bw/d		
Inhalative	DNEL Pu	blic long-term systemic	mg/m^3		
	DNEL Wo	orker long-term systemic	21 mg/m^3		

(Contd. on page 4)





Printing date 02.12.2017 Version number 3 Revision: 02.12.2017

Trade name: Plastalgin fast USA

(Contd. of page 3)

DNEL Public acute/short-term local effects 3,811 mg/m³ DNEL Worker acute/short-term local effects 5,082 mg/m³

· PNECs

CAS: 7778-18-9 calcium sulphate

PNEC STP 100 mg/L

· Additional information:

The most current valid lists have been used as a basis for the production of this document.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

· Gloves material: Butyl rubber, BR · Eye protection: Not required.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Appearance:

Form: Powder

Colour: According to product specification

Odour: CharacteristicOdour threshold: Not determined.

· pH-value: Not applicable.

· Change in condition

Melting point/freezing point: Undetermined. **Initial boiling point and boiling range:** Undetermined.

• Flash point: Not applicable.

Flammability (solid, gas): Not determined.
 Ignition temperature: Not applicable.

· Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not self igniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower:Not determined.Upper:Not determined.

· Vapour pressure: Not applicable.

(Contd. on page 5)





Printing date 02.12.2017 Version number 3 Revision: 02.12.2017

Trade name: Plastalgin fast USA

(Contd. of page 4)

· Density:	Not determined.
· Relative density:	Not determined.
· Vapour density:	Not applicable.
· Evaporation rate:	Not applicable.

· Solubility in / Miscibility with

water: Insoluble.

· Segregation coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not applicable. **Kinematic:** Not applicable.

· Solvent content:

VOC (EC) 0.00 %

• 9.2 Other information: No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- · 10.4 Conditions to avoid: No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

		· ·			
· LD/LC50	· LD/LC50 values relevant for classification:				
CAS: 7778	CAS: 7778-18-9 calcium sulphate				
Oral	LD50	>1,581 mg/kg (rat) >2.61 mg/l (rat)			
Inhalative	LC50/4 h	>2.61 mg/l (rat)			
CAS: 7722	CAS: 7722-88-5 tetrasodium pyrophosphate				
Oral	LD50	500 mg/kg (ATE)			
CAS: 16919-27-0 dipotassium hexafluorotitanate					
Oral	<i>LD50</i>	500 mg/kg (ATE)			

- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eyes: Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitization

May cause an allergic skin reaction.

- · CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.

(Contd. on page 6)





Printing date 02.12.2017 Version number 3 Revision: 02.12.2017

Trade name: Plastalgin fast USA

(Contd. of page 5)

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

CAS: 7778-18-9 calcium sulphate

LC50 96h >79 mg/l (fish)

EC50 72h >79 mg/l (Algae)

EC50 48h >79 mg/l (daphnia)

- · 12.2 Persistence and degradability: No further relevant information available.
- · 12.3 Bioaccumulative potential: No further relevant information available.
- · 12.4 Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects: No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

•	14. .	1 U	N_{-}	Nu	mber
---	--------------	-----	---------	----	------

· ADR, ADN, IMDG, IATA Not classified as hazardous for transport

· 14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Not classified as hazardous for transport

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class Not classified as hazardous for transport

(Contd. on page 7)





Printing date 02.12.2017 Version number 3 Revision: 02.12.2017

Trade name: Plastalgin fast USA

		(Contd. of page 6)
· 14.4 Packing group · ADR, IMDG, IATA	Not classified as hazardous for transport	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Annex II Marpol and the IBC Code	of Not applicable.	
· UN ''Model Regulation'':	Not classified as hazardous for transport	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

· Classification according to Regulation (EC) No 1272/2008				
	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.			

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

(Contd. on page 8)





Printing date 02.12.2017 Version number 3 Revision: 02.12.2017

Trade name: Plastalgin fast USA

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1

(Contd. of page 7)



Printing date 02.12.2017 Version number 3 Revision: 02.12.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Plastalgin normal USA
- · Article number / formula: 285S
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the preparation: dental product
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SEPTODONT.

58 rue du Pont de Creteil 94100 Saint Maur des Fosses

France

Téléphone: +33(0)149767000 Fax: +33(0)148855401 msds@septodont.com http://www.septodont.com

· 1.4 Emergency telephone number:

France (INRS 24h/24) - Tel: +33 (0)1 45 42 59 59

Ireland - Tel: 00 353 1 8092568 - 00 353 1 8379964 (24h/24) EU Tel: 112

Belgique - Tel: 32 070/245 245

UK : +44 (0)-870-190-6777 (CARECHEM24)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008:



Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- $\cdot \textit{Hazard-determining components of labelling:}$

polypropylene glycol

dipotassium hexafluorotitanate

· Hazard statements

H317 May cause an allergic skin reaction.

· Precautionary statements

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

(Contd. on page 2)



Printing date 02.12.2017 Version number 3 Revision: 02.12.2017

Trade name: Plastalgin normal USA

(Contd. of page 1)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- \cdot **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture: consisting of the following components.

Dangerous components:		
CAS: 9005-36-1	Alginic acid, potassium salt	10-25%
	♦ Eye Irrit. 2, H319	
CAS: 7778-18-9	calcium sulphate	5-10%
EINECS: 231-900-3 Reg.nr.: 01-2119444918-26	♦ Acute Tox. 4, H302; Acute Tox. 4, H332	
CAS: 25322-69-4	polypropylene glycol Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	<5%
CAS: 7722-88-5 EINECS: 231-767-1 Reg.nr.: 01-2119489794-17-000.	tetrasodium pyrophosphate Eye Dam. 1, H318; Acute Tox. 4, H302	≤2.5%
CAS: 16919-27-0 EINECS: 240-969-9	dipotassium hexafluorotitanate	≤1%

- · SVHC No
- · Additional information: For the wording of the listed risk phrases, refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After excessive inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient in a stable laying down side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult a doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · 5.2 Special hazards arising from the substance or mixture: No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

GB





Printing date 02.12.2017 Version number 3 Revision: 02.12.2017

Trade name: Plastalgin normal USA

(Contd. of page 2)

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures: Not required.
- 6.2 Environmental precautions: Do not allow the product to enter sewers/ surface water or ground water.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protective equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling: No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- \cdot 7.3 *Specific end use*(s): *No further relevant information available.*

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · 8.1 Control parameters

· 8.1 Contro · Ingredient		t values that require monitor	ing at the workplace:	
CAS: 6885	5-54-9 Ki	eselguhr, soda ash flux-calcii	ned (50-100%)	
MAK (Swit	tzerland)	Long-term value: 0.3 a mg/m SSc:	3	
CAS: 7778	8-18-9 calc	ium sulphate (5-10%)		
MAK (Swit	zerland)	Long-term value: 3 a mg/m³ SSc;		
CAS: 1309)-48-4 mag	nesium oxide (5-10%)		
WEL (Gree	at Britain)	Long-term value: 10* 4** mg (as Mg) *inhalable dust **fu	,	
MAK (Switzerland) Long-term value: 3 a mg/m³ *SSc; *Magnesiumoxid				
CAS: 7722	2-88-5 tetro	ısodium pyrophosphate (≰2.5	%)	
WEL (Gree	at Britain)	Long-term value: 5 mg/m³		
MAK (Swit	zerland)	Long-term value: 5 e mg/m³		
DNELs				
CAS: 7778	3-18-9 calc	ium sulphate		
Oral	DNEL Pu	blic long-term systemic	1.52 mg/kg bw/d	
Inhalative	DNEL Pu	blic long-term systemic	mg/m^3	
	DNEL Wa	orker long-term systemic	21 mg/m^3	

(Contd. on page 4)





Printing date 02.12.2017 Version number 3 Revision: 02.12.2017

Trade name: Plastalgin normal USA

(Contd. of page 3)

DNEL Public acute/short-term local effects 3,811 mg/m³ DNEL Worker acute/short-term local effects 5,082 mg/m³

· PNECs

CAS: 7778-18-9 calcium sulphate

PNEC STP 100 mg/L

· Additional information:

The most current valid lists have been used as a basis for the production of this document.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

· Gloves material: Butyl rubber, BR · Eye protection: Not required.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Appearance:

Form: Powder

Colour: According to product specification

Odour: CharacteristicOdour threshold: Not determined.

· pH-value: Not applicable.

· Change in condition

Melting point/freezing point: Undetermined. **Initial boiling point and boiling range:** Undetermined.

• Flash point: Not applicable.

· Flammability (solid, gas): Not determined.

Ignition temperature: Not applicable.
 Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not self igniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower:Not determined.Upper:Not determined.

· Vapour pressure: Not applicable.

(Contd. on page 5)





Printing date 02.12.2017 Version number 3 Revision: 02.12.2017

Trade name: Plastalgin normal USA

(Contd. of page 4)

· Density:	Not determined.
· Relative density:	Not determined.
· Vapour density:	Not applicable.
· Evaporation rate:	Not applicable.

· Solubility in / Miscibility with

water: Insoluble.

· Segregation coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not applicable. **Kinematic:** Not applicable.

· Solvent content:

VOC (EC) 0.00 %

• 9.2 Other information: No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- · 10.4 Conditions to avoid: No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 1	· LD/LC50 values relevant for classification:				
	CAS: 7778-18-9 calcium sulphate				
Oral	LD50	>1,581 mg/kg (rat)			
Inhalative	LC50/4 h	>2.61 mg/l (rat)			
CAS: 7722	2-88-5 tetro	isodium pyrophosphate			
Oral	<i>LD50</i>	500 mg/kg (ATE)			
CAS: 1691	CAS: 16919-27-0 dipotassium hexafluorotitanate				
Oral	LD50	500 mg/kg (ATE)			

- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eyes: Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitization

May cause an allergic skin reaction.

- · CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.

(Contd. on page 6)





Printing date 02.12.2017 Version number 3 Revision: 02.12.2017

Trade name: Plastalgin normal USA

(Contd. of page 5)

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

CAS: 7778-18-9 calcium sulphate

LC50 96h >79 mg/l (fish) EC50 72h >79 mg/l (Algae)

EC50 48h > 79 mg/l (daphnia)

- · 12.2 Persistence and degradability: No further relevant information available.
- · 12.3 Bioaccumulative potential: No further relevant information available.
- · 12.4 Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects: No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number

· ADR, ADN, IMDG, IATA Not classified as hazardous for transport

· 14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Not classified as hazardous for transport

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class Not classified as hazardous for transport

(Contd. on page 7)





Printing date 02.12.2017 Version number 3 Revision: 02.12.2017

Trade name: Plastalgin normal USA

		(Contd. of page 6)
· 14.4 Packing group · ADR, IMDG, IATA	Not classified as hazardous for transport	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Annex II Marpol and the IBC Code	of Not applicable.	
· UN ''Model Regulation'':	Not classified as hazardous for transport	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

· Classification according to Regulation (EC) No 1272/2008	
	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

(Contd. on page 8)





Printing date 02.12.2017 Version number 3 Revision: 02.12.2017

Trade name: Plastalgin normal USA

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1

(Contd. of page 7)